

New


**Wood-Compo
Socket Wrench Set**

Impeccably Non-Slip




Non-slip in the rain

Sudden rain when working outside...
In this situation, the wood-compo non-slip grip performs efficiently.



Non-slip with sweat

Drenched with sweat because of working outside during the summer or in a room without air-conditioner?
The grip does not slip with sweat.



Non-slip even with oily hands

Very useful for the work with oil.
Recommended to professional purpose for maintenance of motorcycles, bicycles, and cars.



Ultra Small Head with 72-tooth Gear

Enlargement of the grip surface

Wood-Plastic Composite

The grip part is formed by the mold injection of a "wood resin". The product offers to the users such texture and comfort as the natural wood materials.



Ratchet Handle

Wedge type ratchet realizes a ultra small and highly durable head.

High durability and less gear skipping because the wedge-shaped gears firmly engage the gears.



Non-slip wood-composite handle

Reliable operation as the hand firmly holds the grip from the moment when you start fastening a screw.

Chrome vanadium steel

Push-release type

Easy attachment and detachment of sockets and joints by pushing the button.



Sockets

Surface contact avoiding the damage on the edges of bolts or nuts.

Hexagonal socket are adopted, suitable for 72 teeth gear mechanism of the ratchet handle, which operates by little wrist movement.



Knurled for fast fastening

1/4"sq. (6.35mm)

3/8"sq. (9.5mm)

Applications

Wood-compo series

HRW2001M-W
6.35sq



HRW3002M-W
9.5sq



HRW2303M-W
6.35sq
9.5sq



	Factory, Iron Works	Electric Facilities	Solar Mounting Structures	Automobile	Motorcycles	Piping	Machinery	Agricultural Machinery
HRW2001M-W 6.35sq	★★	★★	★★		★★★★	★★★★	★★★★	
HRW3002M-W 9.5sq	★★★★			★★★★			★★★★	★★
HRW2303M-W 6.35sq 9.5sq	★★	★★★★	★★★★	★★★★	★	★		★★★★

Rank ★★★★★: Most Recommended ★★: Highly recommended ★: Recommended

Wood-Compo Socket Wrench Set

1/4" sq. (6.35mm) 36pcs.

No. **HRW2001M-W**



Set Contents

Wood-compo ratchet handle 1/4" sq. (6.35mm)

Wood-compo stubby handle 1/4" sq. (6.35mm)

Universal socket adaptor 1/4" sq. (6.35mm)

Extension bar Overall length 100mm 1/4" sq. (6.35mm)

Bit socket adaptor 1/4" sq. ⇄ 1/4" hex.

1/4" sockets : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm

Bits : ⌀4, ⌀6, ⌀1, ⌀2, ⌀3, H1.5, H2, H2.5, H3, H4, H5, T10, T15, T20, T25, T27, T30, T40

Inner Ctn. : 3 sets Outer Ctn. : 9 sets EDP No. : 162001



3/8" sq. (9.5mm) 16pcs.

No. **HRW3002M-W**



Set Contents

Wood-compo ratchet handle 3/8" sq. (9.5mm)

Universal socket adaptor 3/8" sq. (9.5mm)

Sliding T-shaped handle 3/8" sq. (9.5mm)

Extension bar Overall length 150mm 3/8" sq. (9.5mm)

Extension bar Overall length 75mm 3/8" sq. (9.5mm)

3/8" sockets : 7, 8, 10, 11, 12, 13, 14, 17, 19, 21, 22mm

Inner Ctn. : 3 sets Outer Ctn. : 9 sets EDP No. : 162002



1/4" sq. (6.35mm) / 3/8" sq. (9.5mm) 36pcs.

No. **HRW2303M-W**



Set Contents

Wood-compo ratchet handle 3/8" sq. (9.5mm)

Wood-compo spinner handle 1/4" sq. (6.35mm)

Universal socket adaptor 3/8" sq. (9.5mm)

Extension bar Overall length 150mm 1/4" sq. (6.35mm)

Bit socket adaptor 1/4" sq. ⇄ 1/4" hex.

1/4" sockets : 4, 4.5, 5, 5.5, 6, 7, 8mm

3/8" sockets : 10, 11, 12, 13, 14, 17, 19, 21, 22mm

Bits : ⌀4, ⌀6, ⌀1, ⌀2, ⌀3, H3, H4, H5, H6, T10, T15, T20, T25, T30, T40

Inner Ctn. : 3 sets Outer Ctn. : 9 sets EDP No. : 162003




Wood-Compo Socket Wrench Set

VESSEL
Let us think.

No. HRW Wood-Compo Socket Wrench Set



No. HRH Wood-Compo Ratchet Handle



Model	Designation Insertion	Feed Angle	D Head Width	H Thickness incl. SQ head	H2 Grip	L Overall Length	EDP No.
HRH2-W	1/4"sq. (6.35mm)	5°	20mm	20mm	30mm	145mm	162004
HRH3-W	3/8"sq. (9.5mm)	5°	25mm	27mm	30mm	180mm	162005

Inner Ctn.: 6 sets Outer Ctn.: 60 sets



● For safety purposes, read the instruction manual carefully before using the unit. ● Do not use this product in an explosion-proof area. ● A high voltage is applied on this product. Make sure that water, oil, solvents, etc., do not come in contact. ● Avoid dew condensation as it can result in electric shock or product damage. ● Keep away metal objects such as tools or needles, or body parts such as fingers, hands or face from the needle electrode because a high voltage is applied on the needle electrode.

Manufactured by

VESSEL Co., Inc.

17-25, Fukae-kita 2-chome, Higashinari-ku, Osaka 537-0001 JAPAN
Tel : +81(0)6 6976 7778 Fax : +81(0)6 6972 9441

VESSEL EUROPE

6, avenue du 1er Mai, ZAE Les Glaises, 91120 Palaiseau FRANCE
Tel : +33(0)1 69 19 17 42 Fax : +33(0)1 69 19 42 20

E-mail : export@vessel.co.jp URL : <http://www.vessel.co.jp/english/>

●For improvements, the product specifications, size, price and other information may be subject to change without prior notice.

Distributed by

Printed in Japan

17073121.01