

Ball Point Wrenches
TORX Wrenches
Hex Wrenches

TIGHTENING TO THE END

Resistant to twist and breaking
Extra Superalloy

Made in Japan

With our new L-Wrench technology and design you will be able to perform the final tightening of your work even with the ball point shape.


Resistant to twist and breaking Extra Superalloy

Made in Japan

VESSEL's Unique Steel Material

- Wear resistant material hardness.
- Rust resistant.
- Fully hardened.
- Magnetized.

Special alloy material also used in VESSEL's bits for impact screwdrivers. Special heat treatment revealing superior material characteristics.




BALL POINT

Second to None!※ **Max.38°** tilting angle ※In-house research (based on the catalogue values)



VESSEL's Ball Point technology...

Competitors Ball Point...




VESSEL's Ball Point technology...

Competitors Ball Point...



Reliable performance and superior durability.



TORX


Tip-end processing based on TORX standards. Corresponds to various screws.

VESSEL is an official licensee of TORX which is a registered trademark of Acument Intellectual Properties, LLC (USA).


TORX®



TORX is basically composed of 6 lobe-shaped curves. It has greater driving efficiency than the hexagonal shape screws, and insures torque transmission and eliminates camout.



TORX Wrench Series



TORX No.8500TX	Tamper-proof TORX No.8500TXH	Ball end TORX No.8500BTX
Automotive, Machining tools, Electric devices, PC, Smartphones, etc.	Automotive, Motorcycle, Telecommunication devices, PC, etc.	For TORX screws in cramped spaces

Ball Point Wrench Stubby Short Type, Standard Type, Long Type

Stubby ideal for cramped spaces

Max
Tilting
Angle **38°**
(Designed value)

Magnetized tip can retain a hexagon screw head bolt.
Constricted neck design with hexagonal shape enables to retain a hexagon screw head bolt firmly.
Easy to replace bolts located in a deep place.

95°

L-shape angle 95° for easy handling.
The arm length is half of the standard arm size.

No.8200BP Ball Point Wrench Stubby



Extra
Super Alloy

Tilting angle
38°

Stubby
95°

Fully
hardened

MG



No.8200BP

EDP	1	2	3	4	5	6	8	10	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
143897	1.5	5.5	80.5	160	45	5	10	24947	160×45×5	10	024947
143898	2	7	88	160	45	5	10	024954	160×45×5	10	024954
143899	2.5	8.5	96.5	200	60	8	10	024961	200×60×8	10	024961
143900	3	11	104	200	60	8	10	024978	200×60×8	10	024978
143901	4	13	114	200	60	8	10	024985	200×60×8	10	024985
143902	5	16	125	200	60	8	10	024992	200×60×8	10	024992
143903	6	19	139	200	60	8	10	025005	200×60×8	10	025005
143904	8	24	162	235	75	14	5	025012	235×75×14	5	025012
143905	10	29	182	235	75	14	5	025029	235×75×14	5	025029

No.8209BP Ball Point Wrench Stubby 9-pc set



Extra
Super Alloy

Tilting angle
38°

Stubby
95°

Fully
hardened

MG



No.8209BP

EDP		Set Contents	
143906		A/F 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	
Accessory	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
Holder	245×105×27	5	025036

No.8200BP-S Ball Point Wrench Stubby (Short Type)



Extra
Super Alloy

Tilting angle
38°

Stubby
95°

Fully
hardened

MG



No.8200BP-S

EDP	1	2	3	4	5	6	8	10	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
143887	1.5	5.5	53.5	160	45	5	10	024848	160×45×5	10	024848
143888	2	7	60	160	45	5	10	024855	160×45×5	10	024855
143889	2.5	8.5	62.5	160	45	5	10	024862	160×45×5	10	024862
143890	3	11	68	160	45	5	10	024879	160×45×5	10	024879
143891	4	13	76	200	60	8	10	024886	200×60×8	10	024886
143892	5	16	85	200	60	8	10	024893	200×60×8	10	024893
143893	6	19	96	200	60	8	10	024909	200×60×8	10	024909
143894	8	24	108	235	75	14	5	024916	235×75×14	5	024916
143895	10	29	122	235	75	14	5	024923	235×75×14	5	024923

No.8200BP-L Ball Point Wrench Stubby (Long Type)



Extra
Super Alloy

Tilting angle
38°

Stubby
95°

Fully
hardened

MG



No.8200BP-L

EDP	1	2	3	4	5	6	8	10	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
143907	1.5	5.5	80.5	160	45	5	10	025043	160×45×5	10	025043
143908	2	7	97	200	60	8	10	025050	200×60×8	10	025050
143909	2.5	8.5	112.5	200	60	8	10	025067	200×60×8	10	025067
143910	3	11	129	200	60	8	10	025074	200×60×8	10	025074
143911	4	13	146	200	60	8	10	025081	200×60×8	10	025081
143912	5	16	165	235	75	14	5	025098	235×75×14	5	025098
143913	6	19	186	235	75	14	5	025104	235×75×14	5	025104
143914	8	24	208	280	65	14	5	025111	280×65×14	5	025111
143915	10	29	234	350	75	14	5	025128	350×75×14	5	025128

No.8209BP-S Ball Point Wrench Stubby (Short Type) 9-pc set



Extra
Super Alloy

Tilting angle
38°

Stubby
95°

Fully
hardened

MG



No.8209BP-S

EDP	Set Contents
143896	A/F 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

Accessory	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
Holder	200×105×27	5	024930

No.8209BP-L Ball Point Wrench Stubby (Long Type) 9-pc set



Extra
Super Alloy

Tilting angle
38°

Stubby
95°

Fully
hardened

MG



No.8209BP-L

EDP		Set Contents	
143916	A/F 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm		

Accessory	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
Holder	295×105×27	10	025135

Tighten with Ball Point!
Max Tilting Angle 38°
 (Designed value)

Magnetized tip can retain a hexagon screw head bolt.
 Constricted neck design with hexagonal shape enables to retain a hexagon screw head bolt firmly.
 Easy to replace bolts located in a deep place.

Long type for deep area
 Ball point can reach deep spaces.
 Also, it is possible to apply force on the arm end.

No.8300BP Ball Point Wrench

EDP	[mm]	[mm]	[mm]	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
143917	1.5	17.5	80.5	160×45×5	10	025142
143918	2	19	88	160×45×5	10	025159
143919	2.5	20.5	96.5	200×60×8	10	025166
143920	3	23	104	200×60×8	10	025173
143921	4	29	114	200×60×8	10	025180
143922	5	33	125	200×60×8	10	025197
143923	6	38	139	200×60×8	10	025203
143924	8	44	162	235×75×14	5	025210
143925	10	50	182	235×75×14	5	025227

No.8309BP Ball Point Wrench 9-pc set



EDP	Set Contents
143926	A/F 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

Accessory	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
Holder	245×105×27	5	025234

No.8300BP-L Ball Point Wrench (Long Type)

[Size 12 to 19 will be soon released.]

EDP	[mm]	[mm]	[mm]	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
143927	1.5	17.5	80.5	160×45×5	10	025241
143928	2	19	97	200×60×8	10	025258
143929	2.5	20.5	112.5	200×60×8	10	025265
143930	3	23	129	200×60×8	10	025272
143931	4	29	146	200×60×8	10	025289
143932	5	33	165	235×75×14	5	025296
143933	6	38	186	235×75×14	5	025302
143934	8	44	208	280×65×14	5	025319
143935	10	50	234	350×75×14	5	025326
143936	12	57	262	No Card	5	025333
143937	14	69	294	No Card	5	025340
143938	17	77	337	No Card	5	025357
143939	19	89	379	No Card	5	025364

No.8300BP-XL Ball Point Wrench (Extra Long Type)

EDP	[mm]	[mm]	[mm]	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
143951	1.5	17.5	92.5	160×45×5	10	025487
143952	2	19	111	200×60×8	10	025494
143953	2.5	20.5	134.5	200×60×8	10	025500
143954	3	23	154	200×60×8	10	025517
143955	4	29	174	235×75×14	5	025524
143956	5	33	205	280×65×14	5	025531
143957	6	38	231	280×65×14	5	025548
143958	8	44	268	350×75×14	5	025555
143959	10	50	301	350×75×14	5	025562

No.8309BP-L Ball Point Wrench (Long Type) 9-pc set



EDP	Set Contents
143940	A/F 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

Accessory	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
Holder	295×105×27	10	025371

No.8309BP-XL Ball Point Wrench (Extra Long Type) 9-pc set



EDP	Set Contents
143960	A/F 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

Accessory	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
Holder	350×105×27	10	025579

No.8300BP-LIN Ball Point Wrench (Long Type) (Inch)



[Will be soon released]



No.8300BP-LIN

EDP	Hex Size (inch)	Hex Size (mm)	Length (mm)	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
143941	1/16	1.6	80.6	160×45×5	10	025388
143942	5/64	1.9	95	200×60×8	10	025395
143943	3/32	2.4	110.4	200×60×8	10	025401
143944	1/8	2.32	130.2	200×60×8	10	025418
143945	5/32	2.9	144	200×60×8	10	025425
143946	3/16	3.28	162.8	235×75×14	5	025432
143947	1/4	3.84	184.4	235×75×14	5	025449
143948	5/16	4.4	206	280×65×14	5	025456
143949	3/8	4.96	231.6	350×75×14	5	025463

No.8309BP-LIN Ball Point Wrench (Long Type) (Inch) 9-pc set

[Will be soon released]



No.8309BP-LIN

EDP	Set Contents		
143950	A/F 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 inch		

Accessory	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
Holder	295×105×14	10	025470

RAINBALL L-Wrenches

Easy to find in a toolbox.
Color coded by size.

Max Tilting Angle **38°**
(Designed value)

3-point and 3-face contact Ultra Hex[®]PAT.
Reduces screw head deformation.

Magnetizer can be stored in the bottom of the holder.
Magnetize and demagnetize the wrenches.
More powerful magnet power when used with it attached.


No.8906BP RAINBALL L-Wrench 6-pc set



No.8906BP

EDP	Set Contents		
144352	A/F 1.5, 2, 2.5, 3, 4, 5 mm		
Accessory	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
Holder	200×80×13	5	014887

No.8909BP RAINBALL L-Wrench 9-pc set



No.8909BP

EDP	Set Contents		
144351	A/F 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm		

Accessory	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
Magnetizer/Holder	245×105×27	5	014900

No.8900BP RAINBALL L-Wrench



No.8900BP

EDP			 (mm)	Card Size (mm)	Carton (pcs)	JAN (4907587)
144341	1.5	15	69	160x45x5	10	014917
144342	2	17.5	74	160x45x5	10	014924
144343	2.5	20	83.5	160x45x5	10	014931
144344	3	22	93.5	160x45x5	10	014948
144345	4	28	102.5	200x60x8	10	014955
144346	5	32	123.5	200x60x8	10	014962
144347	6	37	144	200x60x8	10	014979
144348	8	43	166	235x75x14	5	014986
144349	10	49	188.5	235x75x14	5	014993



Original unique stand type holder (8909BP only)

Can be vertically "fixed" magnetically. The magnetizer can work as a magnet which can fix the holder on a metal part of a machining tool, automatic machine, or else.

Quick tightening at tilted angle.

Max Tilting Angle **25°**
(Designed value)

Ball-shaped TORX wrench.
Can tighten screws quickly at a tilted angle.
Ideal for a work in a cramped space such as automotive maintenance.


Can be used with tamper-proof screws.

Tamper-proof TORX screw has a protrusion in the center of the screw recess, and a standard TORX screwdriver cannot tighten or loosen such screw.
*Screws with a protrusion different from the standard TORX cannot be handled.

TORX®


Tip-end processing based on TORX standards.
Corresponds to various screws.

No.8500BTX Ball End TORX Wrench



EDP	[★]	Length (mm)	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
143961	T8	19	83	10	025586
143962	T9	19	83	10	025593
143963	T10	20	93	10	025609
143964	T15	21.5	103.5	10	025616
143965	T20	23	116	10	025623
143966	T25	25	131	10	025630
143967	T27	30	145	10	025647
143968	T30	34	166	5	025654
143969	T40	39	187	5	025661

No. 8500TXH Tamper-proof TORX Wrench



EDP	[★]	Length (mm)	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
143971	T8H	19	83	10	025685
143972	T9H	19	83	10	025692
143973	T10H	20	93	10	025708
143974	T15H	21.5	103.5	10	025715
143975	T20H	23	116	10	025722
143976	T25H	25	131	10	025739
143977	T27H	30	145	10	025746
143978	T30H	34	166	5	025753
143979	T40H	39	187	5	025760

No.8509BTX Ball End TORX Wrench



No.8509BTX			
EDP		Set Contents	
143970		Size T8,T9,T10,T15,T20,T25,T27,T30,T40 mm	
Accessory		Card Size (mm)	Inner Carton (pcs)
Holder		245×105×27	5
			JAN (4907587)
			025678

No.8509TXH Tamper-proof TORX Wrench 9-pc set



No.8509TXH

EDP	Set Contents		
143980	Size T8H,T9H,T10H,T15H,T20H,T25H,T27H,T30H,T40H mm		
Accessory	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
Holder	245×105×27	5	025777

TORX Wrench

No. 8500TX TORX L-Wrench



Fully hardened

No.8500TX

EDP	★	Length (mm)	Width (mm)	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
144301	T6	2.5	52	110×45×5	10	062161
144302	T7	2.5	56	110×45×5	10	062178
144303	T8	3	59	110×45×5	10	062185
144304	T9	3	63	110×45×5	10	062192
144305	T10	3	67	110×45×5	10	062208
144306	T15	3.5	72	110×45×5	10	062215
144307	T20	4	77	110×45×5	10	062222
144308	T25	5	83	145×55×8	10	062239
144309	T27	5	90	145×55×8	10	062246
144310	T30	6	98	145×55×8	10	062253
144311	T40	7	107	145×55×8	10	062260

No. 8507TX TORX L-Wrench 7-pc set



Fully hardened

No.8507TX

EDP	Set Contents		
144315	Size T10,T15,T20,T25,T27,T30,T40 mm		
Accessory	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
Holder	135×65×17	10	062277

TORX Screwdriver

No. 5400TX Power Grip TORX Screwdriver



Except T5 and T6



Fully hardened



No.5400TX

EDP	★	Length (mm)	Width (mm)	Inner Carton (pcs)	JAN (4907587)
122854	T5	80	2.5	12	062031
122855	T6	80	2.5	12	062048
122856	T7H	80	2.5	12	062055
122857	T8H	80	3.0	12	062062
122858	T9H	80	3.0	12	062079
122859	T10H	80	3.0	12	062086
122860	T15H	80	3.5	6	062093
122861	T20H	120	4.0	6	062109
122862	T25H	120	5.0	6	062116
122863	T27H	120	5.0	6	062123
122864	T30H	120	6.0	6	062130
122865	T40H	120	7.0	6	062147

No. B-640TX Cushion Grip TORX Screwdriver



Except T5 and T6



Fully hardened



No.B-640TX

EDP	★	Length (mm)	Width (mm)	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
123561	T5	40	4.0	165×35×20.5	6	075055
123562	T6	40	4.0	165×35×20.5	6	075062
123563	T7H	40	4.0	165×35×20.5	6	075079
123564	T8H	40	4.0	165×35×20.5	6	075086
123565	T9H	40	4.0	165×35×20.5	6	075093

No. B-340TX Wood-Compo TORX Screwdriver



Fully hardened

T6



No.B-340TX

EDP	★	Length (mm)	Width (mm)	Card Size (mm)	Inner Carton (pcs)	JAN (4907587)
120081	T10H	80	5.5	235×45×30	6	075109
120082	T15H	80	5.5	235×45×30	6	075116
120083	T20H	120	5.5	235×45×30	6	075123
120084	T25H	120	6.4	275×45×32	6	075130
120085	T27H	120	6.4	275×45×32	6	075147
120086	T30H	120	8.0	285×45×35	6	075154
120087	T40H	120	8.0	285×45×35	6	075161

T-Handle Screwdriver/Flag Handle Screwdriver

No. TW-H T-Handle Screwdriver [Will be soon released]

Extra
Super Alloy



No.TW-H	EDP			Handle Width (mm)	OAL (mm)	Inner Carton (pcs)	JAN (4907587)
144361	3		125	70	163	6	025913
144362	4		140	70	178	6	025920
144363	5		150	80	200	6	025937
144364	6		155	120	223	-	025944
144365	8		175	160	251	-	025951
144366	10		200	160	276	-	025968

No. TW-HIN T-Handle Screwdriver (Inch) [Will be soon released]

Extra
Super Alloy



No. TW-HIN				Handle Width (mm)	OAL (mm)	Inner Carton (pcs)	JAN (4907587)
144367	1/8	125	70	163	6	025975	
144368	5/32	140	70	178	6	025982	
144369	3/16	150	80	200	6	025999	
144370	1/4	155	120	223	-	026002	
144371	5/16	175	160	251	-	026019	
144372	3/8	200	160	276	-	026026	

No. FW-H Flag Handle Screwdriver [Will be soon released]

Extra
Super Alloy



No.FW-H						
EDP			Handle Width (mm)	OAL (mm)	Inner Carton (pcs)	JAN (4907587)
144373	1.5	40	20	74	10	026033
144374	2	40	20	74	10	026040
144375	2.5	40	20	74	10	026057

No. FW-HIN Flag Handle Screwdriver (Inch) [Will be soon released]

Extra
Super Alloy



No.FW-HIN	EDP			Handle Width (mm)	OAL (mm)	Inner Carton (pcs)	JAN (4907587)
144376	1/16	40	20	74	10	026064	
144377	5/64	40	20	74	10	026071	
144378	3/32	40	20	74	10	026088	

Hex Wrench

No. 8300HX-S Hex Wrench (Short Type) [Will be soon released]



No.8300HX-S	EDP			 (mm)	Inner Carton (pcs)	JAN (4907587)
144060	1.5	14	54	10	025784	
144061	2	14	60	10	025791	
144062	2.5	17.5	62.5	10	025807	
144063	3	23	68	10	025814	
144064	4	29	76	10	025821	
144065	5	33	85	10	025838	
144066	6	38	96	10	025845	
144067	8	44	108	5	025852	
144068	10	50	122	5	025869	

※Bulk order is welcome. Contact us for more detail.

Made in Taiwan

VESSEL Co., Inc.

17-25, Fukae-Kita 2-chome, Higashinari-ku, Osaka 537-0001 JAPAN
Tel : +81(0)6 6976 7778 Fax : +81(0)6 6972 9441

VESSEL EUROPE

6, avenue du 1er Mai, ZAE Les Glaises, 91120 Palaiseau FRANCE
Tel : +33(0)1 69 19 17 42 Fax : +33(0)1 69 19 42 20
E-mail : export@vessel.co.jp URL : http://www.vessel.co.jp/english/

● Product specifications, dimensions, and other information are subject to change without notice.

Distributed by

Printed in Japan